SAFETY DATA SHEET

MATERIAL NAME: ATELIER FREE FLOW ARTISTS' ACRYLIC

LAST REVISION: 2/07/2020

SECTION 1 – IDENTIFICATION

Material Name

ATELIER FREE FLOW ARTISTS' ACRYLIC

Product Number

Various

(Prop 65 Colors. See Section 16 for additional information.)

(All information the same for all sizes.)

Manufacturer Information

Chroma Australia Pty Ltd

P.O. Box 3B

17 Mundowi Road

Mount Kuring-Gai, NSW 2080

Australia

Phone: 61-02-9457-9922 (Australia) Phone: 1-800-257-8278 (U.S.A.) Website: www.chromaonline.com

Email: marketing@chromaonline.com (Australia) Email: infousa@chromaonline.com (U.S.A.)

For Health Emergencies Call the Poisons Information Centre: 13 11 26 (Australia) For Health Emergencies Call the Poison Control Center: 1-888-516-2502 (U.S.A.)

For Transportation Emergencies Only: 1-800-257-8278 (U.S.A.)

Seek medical assistance for further treatment, observation and support, if necessary.

SECTION 2 – HAZARDS IDENTIFICATION

Poisons Schedule (Australia) Non Hazardous

Globally Harmonised System

Hazard Classification Not classified

Hazard Categories NIL

Pictograms

Signal Word NIL Hazard Statements NIL Precautionary Statement NIL

National Transport Commission

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the Criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Entry	Formula	CAS#	Proportion
Ingredients determined to be Non-Hazardous			Balance

SECTION 4 – FIRST AID MEASURES

Description of necessary measures according to routes of exposure.

Swallowed Have affected person drink two (2) glasses of water.

Never give anything by mouth to an unconscious person.

Eye Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Flush area with large amounts of water and wash area with soap if available.

Remove contaminated clothing, including shoes, and launder before reuse.

Seek immediate medical attention.

Inhaled Inhalation of vapour may cause irritation; move to fresh air.

If irritation persists, consult a physician.

Advice to Doctor

Treat according to symptoms.

Medical Conditions

No Information available on medical conditions aggravated by exposure to this product. Carcinogenicity: SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP. IARC: No significant ingredient is classified as carcinogenic by IARC.

Seek medical assistance for further treatment, observation and support, if necessary.

SECTION 5 – FIRE FIGHTING MEASURES

Hazchem Code None allocated

Suitable extinguishing equipment: Stable

Use foam, dry chemical, or water spray to extinguish fire.

Specific hazards during firefighting: Material can boil above 100°C / 212°F

Special protective equipment for fire fighters:

Wear self-contained breathing apparatus and full protective clothing. Use water spray to cool fire exposed surfaces. Use foam, dry chemical, or water spray to extinguish surrounding fire.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

General Response Procedure

Avoid walking through spilled product as it may be slippery. Do not allow product to reach drains, sewers or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Authority.

Clean Up Procedures Major Spill:

Clean up immediately. Prevent spill and cleaning runoff from entering sewers, drains and open bodies of water. If a large amount of product enters a waterway advise your local Waste Management. Contain spill with sand or other inert material and transfer to containers for disposal. Avoid walking through spilled product as it may be slippery. Contact local waste disposal authority for disposal advice.

Clean Up Procedures Minor Spill:

Soak / Wipe up smaller spills with a rag and dispose of via domestic waste collection.

Containment

Stop leak if safe to do so.

Enviro Precautionary Measures

Prevent runoff and contact with waterways, drains or sewers. If large amounts have been spilled, inform the relevant authorities.

SECTION 7 – HANDLING AND STORAGE

Handling:

Avoid contact with eyes. Wash hands with cool soapy water immediately after use. Personal clothing protection is recommended.

Storage:

Keep from freezing. Store in a cool, dry place, well ventilated away from direct sunlight and all sources of ignition. Shake / stir well before use. Ensure lid is tightly closed when not in use.

Storage temperature:

1°C / 34°F - 38°C / 100°F

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

General

No Occupational Exposure Limits (OEL) value has been assigned

Exposure Limits

No Data Available

Biological Limits

No information available on biological limit values for this product.

Engineering Measures

Ensure adequate natural or mechanical ventilations. Keep containers closed when not in use.

Personal Protection Equip

For general use Personal Protection Equipment (PPE) is not required; however a detailed risk assessment on the use of this product taking in to account the work environment and handling methods may indicate PPE is recommended

Work Hygienic Practices

No Data Available

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

AppearanceLiquid, various coloursOdourSlight Ammonia smell

pH N/A Melting / Boiling Point / Range N/A

Flash Point Approx. 80°C

Evaporation Rate N/A
Upper / Lower Flammability Limit N/A
Relative Density N/A
Water Solubility Soluble
Viscosity N/A

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10 – STABILITY AND REACTIVITY

Hazardous reactions: None known, Stable

Materials to avoid:

There are no known materials that are incompatible with this product.

Polymerisation: Product will not undergo polymerization.

SECTION 11 – TOXICOLOGICAL INFORMATION

General Information

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms of effects may occur if the product is mishandled.

Eye Irritant

May cause irritation to eyes, but will not permanently damage the eye tissue.

Ingestion

Small amounts of liquid aspirated into the lungs during ingestion, or from vomiting, may cause chemical pneumonitis, or pulmonary oedema. Ingesting large amounts of this product will result in headaches, nausea, dizziness, and discomfort on swallowing.

Inhalation

Inhalation of this product will yield mild discomfort in large quantities. Vapour concentrations are irritating to nose and throat. Overexposure may be evident through dizziness, nausea, headaches and other central nervous system effects.

Skin Irritant

This product is irritating to the skin with prolonged exposure. It may result in dryness and cracking.

Carcinogen Category

No Data Available

Prop 65 Colors – Atelier Free Flow Artists' Acrylic

Page 4 of 6 SDS Date 02/20

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity Not Determined

Persistence / Degradability Not Determined

Mobility Not determined

Environmental Fate Avoid contaminating waterways, drains and sewers

Bioaccumulation Potential Not determined

Environmental Impact No Data Available

SECTION 13 – DISPOSAL CONSIDERATIONS

General Information

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with the Local, State and Federal Regulations or recycled/reconditioned at an approved facility.

Special Precautions for Land Fill

Contact a specialist disposal company or the local waste regulator for advice. This product may be recycled if unused, or if it has not be contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

SECTION 14 – TRANSPORT INFORMATION

Classified as NOT HAZARDOUS for transport according to the criteria of Australian Dangerous Goods (ADG)Code.

Classification for Australian Land Transport (ADG)

Proper Shipping Name: Atelier ™ Free Flow Artist' Acrylic

Class / Pack Group: N/A
Special Precaution for User: N/A
UN Number: N/A
Hazchem: N/A

Classification for Sea Transport (IMO-IMDG):

Proper Shipping Name: Atelier ™ Free Flow Artist' Acrylic

Class / Pack Group: N/A
Special Precaution for User: N/A
UN Number: N/A
Hazchem: N/A
Marine Pollutant: No

Classification for Air Transport (IATA/ICAO):

Proper Shipping Name: Atelier ™ Free Flow Artist' Acrylic

Class / Pack Group: N/A
Special Precaution for User: N/A
UN Number: N/A
Hazchem: N/A

Hazchem Code: None allocated

Poisons Schedule: nil AICS Name: N/A NZ Toxic Substance: N/A EPG: N/A

SECTION 16 – OTHER INFORMATION

SECTION 15 – REGULATORY INFORMATION

This pertains to only the colors listed below, which require the State of California Prop 65 Warning:

Cadmium Orange, Cadmium Red Light, Cadmium Red Medium, Cadmium Yellow Light, Cadmium Yellow Medium, Carbon Black, Chromium Green Oxide, Cobalt Turquoise Light, Paynes Grey.

This product does not contain egg, dairy, wheat, gluten, soy or peanut products, by-products or derivatives.

This product does not contain latex materials or animal derived ingredients.